

RANI LAKSHMI BAI CENTRAL AGRICULTURAL UNIVERSITY

JHANSI

Sub : List of Office furniture & its detailed specifications and item should be of Godrej/Howarth /Steel case/

Delite-Hitech/Wipro brand

Sr. No.	Description	Unit	Qty	Rate	Catalogue No.	remarks
1	Chief Executive table(wooden) size 2400 x1050 x 750 mm wirh 3 drawers in main unit. Side unit of 1200x450x750mm with 3 drawers & keys. Made of Walnut/ natural teak/rose wood finish having pillars in front.	No.	1			
2	Wooden Back drop unit of size 2400 x 450 x 750 mm made of complete19 mm block board with 4 mm OST ply duly polished matching to the table with necessary hardware fitting. .	No.	1			
3	Sofa set (3saeter 1nos),(2seater 1nos) & 1Seater 1nos) Frame made of good quality seasoned teakwood duly anti-termite treated, Seat made of good quality flat steel spring used in seat frame duly covered with coir, jute cloth and markeen fixed with 4" thick ISI mark pinhole rubber cushion. Back & Arm Rest made of flat steel spring, covered with coir, jute cloth and markeen fixed with 2" thick ISI mark pinhole rubber and high density 'U' foam for giving shape in back and arm rest. Fabric should be of high quality. colour will be finalized by Dentt.	Nos.	3set			
4	Superior Quality Wooden Center table of size.1200 x 600 x 450mm(wxdxh) with 6mm tinted glass top and shelf at the bottom.	No.	5			
5	Superior Quality Wooden Corner table of size.600 x 600 x 450mm(wxdxh) with 6mm tinted glass top and shelf at the bottom.	No.	4			
6	Wooden Storage unit of size 900 x 450 x 1800mm(wxdxh) made of complete 19mm OST baord duly polished with provision of 2 drawers in the center and storage space above and below.	No.	1			
7	Chief Executive's Revolving, High Back Chair having Nylon Base, Nylon Handle, Torsion Bar.	No.	1			
8	Visitor Low Back Revolving Chair having Nylon Base, Nylon Handle, Torsion Bar..	Nos	4			
9	Table of size 1500 x 750 x 750 mm with side unit of size.1050 x 450 x 750mm(wdh) top made in 25mm prelaminted particle duly edge banded with 2mm thick edge lipping tape & base in 18 mm prelaminated particle board duly edge banded. Provision of 3 drawer unit & Key board Tray in the side unit.	No.	5			
10	Steel Almirah of size 78"x36"x19" (hxwxd) having 4 adjustable shelves making 5 compartments without locker Fabrication: Almirah's side, back, top, bottom & shelves be made from mild steel of 22 gauge. The shelves shall have lipped flange 25mm width 15mm in depth. The shelves fitted to rack strips made of mild steel sheets of 20 gauge thick with help of 4 brackets of 16 gauge for support and adjustment and having load bearing capacity of 60kg. uniformly divided load per shelf. The doors made of mild steel sheet of 20 gauge and having metal stiffener suitably spot welded to stiffen the door and fitted with the body with the help of but type hinges made of mild steel sheet of 18 gauge thickness double folded for free & smooth movement of doors..	Nos.	8			

11	Executive Chair Revolving. The seat and back are made up of 12 mm thick hot pressed plywood, upholstered with fabric and U foam. The back foam should be designed with contoured lumbar support for extra comfort U foam : The U foam be moulded with density Armrest (Fixed) : One piece armrests made of black integral skin polypropylene reinforced with MS insert with 50-70 Shore 'A' hardness. The armrests : scratch and weather resistant. The armrests fitted to the seat.	No.	15			
12	Visitor Revolving chair Seat / Back : The seat and back made up of 12 mm thick hot pressed plywood, upholstered with fabric and U foam. The back foam be designed with contoured lumbar support for extra comfort. U foam : The U foam be moulded with density. Pedestal Assembly : The pedestal be injection moulded in black.	Nos.	12			
13	Sofa designed specially to provide extra comfort to the body. The frame made of 25 mm round pipe not less than 16 gauge and inner additional supports pipe frame made of 10 mm thickness not less than 16 gauge duly chrome plated. Base supported with 3/4" x 3/4" square pipe in chrome finish. Wooden Frame of cross section 2" x 1 1/2" running at the borders with 12 mm ply pasted above it. The sofa duly finished in "U" foam of not less than 40 Kg/m3. Seat of size 21" x 21" neatly upholstered in leatherite of approved shade. Model Space Providing Sofa.					
	a Single Seater. Model Space	No.	3			
	b Three Seater. Model Space	No.	3			
14	Executive table of size.1800 x 900 x 750mm(wxdxh) with side unit of size.1050 x 450 x 750mm(wxdxh) with 3 Drawer in the main table it has provision of key board tray, 3 Drawer & open shelf Walnut / natural teak finish having vertical strips for front panel.	Nos.	2			
15	Computer table of size 1200 x 600 x 750mm (wxdxh) table above open space of ht 600mm & over hed of size 1200 x 450 x 750mm(wxdxh) top made in 25mm prelaminted particle duly edge banded with 2mm thick edge lipping tape & base in 18 mm prelaminted particle board duly edge banded.with provision of key board tray.	Nos	10			
16	Workstation for staff seatings for 6 persons having rectangular top of size 1200 x 600 mm.(6nos),1050x1050mm(1nos) & Partition panel of 75mm thick & ht 1220 mm, with snap on panel made of 12mm prelaminted particle board soft board with fabric with raceway at two levels,one skirting and one above / below with worktop. Provision of keyboard tray , CPU trolley,Fin,gable end & fixed drawer unit on each workstation.	Nos.	6			
17	Overhead Storage for above work stations. Body made of 20 gauge CRCA steel & Door made of 18mm pre laminted particle board duly edge banded . Size 600x350x900mm.		6			
18	Computer Chairs low back revolving chair having 50 mm PU foam used in seat & back 2" thick heavy PU arm of good quality German tilt and gas lift mechanism superior fabric and castors heavy base chairs should back touched special design. ABS seat & back with 5 pronged PP base.	Nos	6			

19	Library table size 60" x 36" x 30" for reading purpose. Top made of 18mm prelaminated particleboard with PVC lipping at the borders. Frame made of 25mm square pipe not less than 16 gauge dully powder coated up to 40-45 microns.	Nos	2			
20	Book Case of size 66" x 33" x 12".(hwd) Body of Book Case made of 20 gauge, side, back, bottom and shelves made of 22 gauge CRCA sheet. Front made of 4 transparent glass doors of 5 mm thickness having sliding shutters. The book case fitted with 6 lever brass lock with duplicate SS keys. Book Case finished by removing all dents, burns & sharp edges from various components and then immediately after pickling all mild steel parts as given phospating treatment in dust free atmosphere and then duly painted..	Nos	7			
21	Handy Stackable Visitor Chair made from ½" specially drawn steel bar, chrome plated or powder coated. Back having 9mm ply and 1" thick pinhole rubber good quality and upholstered in superior quality cotton fabric..	Nos	12			
22	Closed Type Steel Rack of size 72"x36"x15" (hxwd) having 5 shelves making 5 compartments. shelves & sides made of mild steel sheet not less than 0.8mm. Slotted angle shall be 40x40x2mm. Shelves & angle be jointed with galvanized hex. Nuts & bolts. Each rack shall be provided with rubber shoes at the bottom. All components be duly anti-rust treated and painted for long lasting finish	Nos	12			
23	Instructor Table of size 900 x 600 x 750 mm (wdh) with top made in 25mm prelaminted particle duly edge banded with 2mm thick edge lipping tape & base in 18 mm prelaminated particle board duly edge banded.	Nos	2			
24	Class Room Chair with writing board Frame made of 19mm pipe not less than 16 guage. Perforated CRC sheet used for seat & back of nor less than 14 guage duly powder coated upto 40-45 micron, having PU arm with one additional foldable writing board fitted on one side of the arm made of 18 mm particle board with PVC lipping at the edges. One additional shelf provided at the bottom duly fitted with the frame duly powder coated.	Nos	34			
25	White writing board provided with aluminium frame duly powder coated /andodized Magnatic writing board.of following size					
	a 1800 x 1200mm(wxh)	Nos	3			
	b 1500 x 900mm(wxh)	Nos	5			
				Total		

Terms & Conditions :

- 1 Specifications of standard products such as Godrej/Howarth/Delite-hi-tech/Wipro/Steeledge or any standard make.
- 1 Leaflets containg detailed specifications and image/designs etc may be enclosed.
- 2 Copy of DGS&D Rate contract,if any may be enclosed with the offer
- 3 Rates should be quoted for FOR.